

MARK	LOCATION	DOOR				FRAME			GLASS	TYPE	MATERIAL	FINISH	DETAIL			FIRE RATING (MIN)	HW SET	NOTES	MARK
		TYPE	MATERIAL	FINISH	QTY	OPENING SIZE		HEAD					JAMB	THRESHOLD					
						W	H												
BASEMENT																			
B01	STAIR #1	EXIST			1										90			B01	
B02	FIRE PUMP ROOM	EXIST			1										90			B02	
B02A	CORRIDOR	NEW			1	3'-0"	8'-0"								90			B02A	
B03	MAIN TELEPHONE ROOM	EXIST			1										20			B03	
B04	ELECTRICAL	EXIST			1										90			B04	
B05A	MAIN ELECTRICAL	EXIST			1										90			B05A	
B05B	MAIN ELECTRICAL	EXIST			1										90			B05B	
B06A	FIRE COMMAND	EXIST			1										90			B06A	
B06B	FIRE COMMAND	NEW			1	3'-0"	8'-0"								90			B06B	
B06A	STAIR #2	EXIST			1										90			B06A	
B06B	STAIR #2	EXIST			1										90			B06B	
B09	CORRIDOR	EXIST			1													B09	
B10	SHIPPING/RECEIVING	EXIST			1													B10	
B12	BASEMENT LAUNDRY	EXIST			1													B12	
B13	CORRIDOR	NEW			1	4'-0"	8'-0"								90			B13	
B13A	CORRIDOR	NEW			1	4'-0"	8'-0"								20			B13A	
B13B	CORRIDOR	NEW			1	4'-0"	8'-0"								20			B13B	
B13C	CORRIDOR	EXIST			1										20			B13C	
B14	STORAGE	NEW			1	3'-0"	8'-0"											B14	
B16	ELEVATOR MECHANICAL	EXIST			1													B16	
B17	INTERVIEW TESTING	NEW			1	3'-0"	8'-0"											B17	
B18	HR	NEW			1	3'-0"	8'-0"											B18	
B19	HR DIRECTOR	NEW			1	3'-0"	8'-0"											B19	
B20A	BOH CORRIDOR	NEW			1	3'-0"	8'-0"								20			B20A	
B20B	BOH CORRIDOR	NEW			1	4'-0"	8'-0"								20			B20B	
B21	ELEVATOR LOBBY	EXIST			1										20			B21	
B22	FITNESS	NEW			1	3'-0"	8'-0"								20			B22	
B23	DIR SERVICES	NEW			1	3'-0"	8'-0"											B23	
B24	HOUSE MANAGER	NEW			1	3'-0"	8'-0"											B24	
B25	HOUSE SUPERVISER	NEW			1	3'-0"	8'-0"								20			B25	
B26	SERVICE LOBBY	EXIST			1										90			B26	
B27	TELEDATA	EXIST			1										90			B27	
B28	ELECTRICAL	EXIST			1										90			B28	
B29	MAINTENANCE	NEW			1	3'-0"	8'-0"											B29	
B30	LINEN	NEW			1	4'-0"	8'-0"											B30	
B31	MEN'S RESTROOM	NEW			1	3'-0"	8'-0"											B31	
B32	WOMEN'S RESTROOM	NEW			1	3'-0"	8'-0"											B32	
B33A	EMPLOYEE BR CORRIDOR	NEW			1	4'-0"	8'-0"											B33A	
B33B	EMPLOYEE BR CORRIDOR	NEW			1	4'-0"	8'-0"								20			B33B	
B33C	NIGHTCLUB/FLEX SPACE	EXIST			1													B33C	
B33D	CORRIDOR	EXIST			1													B33D	
B33E	NIGHTCLUB/ FLEX SPACE	EXIST			1													B33E	
B34	ELECTRICAL	EXIST			1													B34	
B35A	CONTROL ROOM	EXIST			1													B35A	
B35B	CONTROL ROOM VESTIBULE	EXIST			1													B35B	
B36	ACC UNISEX 1	EXIST			1													B36	
B37	UNISEX 2	EXIST			1													B37	
B38	JANITOR	EXIST			1										20			B38	
B39	GREEN ROOM	EXIST			1													B39	
B39A	CORRIDOR	NEW			1	3'-0"	8'-0"											B39A	
B40	RESTROOM	EXIST			1													B40	
B41	DRESSING	EXIST			1													B41	
B42	DRESSING	EXIST			1													B42	
FIRST FLOOR																			
102A	LOBBY	EXIST			1													102A	
102B	LOBBY	EXIST			1													102B	
102C	LOBBY	EXIST			1													102C	
103	RECEPTION	NEW			1	3'-0"	8'-0"											103	
105	LUGGAGE	NEW			1	3'-6"	8'-0"											105	
106	OFFICE	EXIST			1													106	
107	OFFICE	EXIST			1													107	
108	OFFICE	EXIST			1													108	
109	CORRIDOR	NEW			1	3'-0"	8'-0"											109	
110	OFFICE	EXIST			1													110	
111	WORK ROOM	EXIST			1										20			111	
112A	STORAGE	EXIST			1										20			112A	
112B	STORAGE	EXIST			1													112B	
113A	STAIR #1	EXIST			1										90			113A	
113B	EXIT	EXIST			1													113B	
113C	EXIT	EXIST			1													113C	
114	AUDIO	EXIST			1													114	
115	EXIT	EXIST			1													115	
116A	BAR	EXIST			1													116A	
117	A/V BOOTH	EXIST			1													117	
118A	PREFUNCTION COIRRIDOR	EXIST			1										20			118A	
119A	MEN'S RESTROOM	NEW			1	3'-0"	8'-0"								20			119A	
119B	MEN'S RESTROOM	EXIST			1										20			119B	
119C	MEN'S RESTROOM	EXIST			2										20			119C	
119D	MEN'S RESTROOM	EXIST			1										20			119D	
120A	WOMEN'S RESTROOM	NEW			1	3'-0"	8'-0"								20			120A	
120B	WOMEN'S RESTROOM	EXIST			1										20			120B	
120C	WOMEN'S RESTROOM	EXIST			5										20			120C	
120D	WOMEN'S RESTROOM	EXIST			1										20			120D	
120E	WOMEN'S RESTROOM	EXIST			4										20			120E	
121	ELECTRICAL	EXIST			1										90			121	
122	TELEDATA	EXIST			1										90			122	
123	SE LOBBY	EXIST			1										90			123	
123L	SE LOBBY	EXIST			1										90			123L	
126A	EXIT	EXIST			1													126A	
126B	EXIT	EXIST			1													126B	
128A1	MULTI-PURPOSE ROOM A	EXIST			1										20			128A1	
128A2	MULTI-PURPOSE ROOM A	EXIST			1										20			128A2	
128B1	MULTI-PURPOSE ROOM B	EXIST			1										20			128B1	
128B2	MULTI-PURPOSE ROOM B	EXIST			1													128B2	
128C1	MULTI-PURPOSE ROOM C	EXIST			1										20			128C1	
128C2	MULTI-PURPOSE ROOM C	EXIST			1													128C2	
128D	DOOR CLOSET	EXIST			1													128D	
128E	DOOR CLOSET	EXIST			1													128E	
129A	STAIR #2	EXIST			1										90			129A	
130	STORAGE	EXIST			1													130	
131	OFFICE	EXIST			1													131	
132A	KITCHEN	EXIST			1													132A	
132B	KITCHEN	EXIST			1													132B	
132C	PREFUNCTION CORRIDOR	EXIST			1										20			132C	
132D	KITCHEN	EXIST			1										20			132D	
133A	STORAGE	NEW			1	3'-0"	8'-0"											133A	
136A	PATIO/BISTRO	NEW			1	3'-0"	8'-0"											136A	
136B	PATIO/BISTRO	NEW			1	3'-0"	8'-0"											136B	

HARDWARE SETS

HW SET 1:

SHEET NOTES

- DOOR THICKNESS TO BE 1-3/4" UNLESS NOTED OTHERWISE.
- LABELS ON FIRE RATED DOOR AND FRAME ASSEMBLIES SHALL NOT BE PAINTED OVER OR OTHERWISE CONCEALED.
- ALL HOLLOW METAL DOORS AND FRAMES TO BE PAINTED U.N.O.
- ADJUST HINGES AS REQUIRED TO ACCOMMODATE APPLIED FINISHES TO DOORS / FRAMES.

STIPULATION FOR REUSE:

THIS DRAWING WAS PREPARED FOR USE ON A SPECIFIC SITE AT DULUTH, GA CONTEMPORANEOUSLY WITH ITS ISSUE DATE AS NOTED BELOW, AND IT IS NOT SUITABLE FOR USE ON A DIFFERENT PROJECT SITE OR AT A LATER TIME. USE OF THIS DRAWING FOR REFERENCE OR EXAMPLE ON ANOTHER PROJECT REQUIRES THE SERVICES OF PROPERLY LICENSED ARCHITECTS AND ENGINEERS. REPRODUCTION OF THIS DRAWING FOR REUSE ON ANOTHER PROJECT IS NOT AUTHORIZED AND MAY BE CONTRARY TO THE LAW.



CONSULTANTS:

THE STRICKLANDER
MARRIOTT AUTOGRAPH
PUBLIC SPACE
6405 SUGARLOAF PARKWAY
DULUTH, GEORGIA 30097

SCHEDULE NOTES

- SIGNAGE: PROVIDE 1" HIGH LETTERS IN CONTRASTING COLORS TO BACKGROUND. TEXT TO READ "THIS DOOR TO REMAIN UNLOCKED DURING BUSINESS HOURS".
- SIGNAGE: PROVIDE 1" HIGH LETTERS IN CONTRASTING COLORS TO BACKGROUND. TEXT TO READ "IN EMERGENCY, PUSH TO OPEN".
- SIGNAGE: PROVIDE TACTILE EXIT SIGN.
- EXIT DEVICE AS SCHEDULED.
- AUTOMATIC CLOSING DEVICE AND HOLD OPEN MECHANISM AS SCHEDULED, TIED TO FIRE ALARMS SYSTEM.
- DOORS TO BE FACTORY FINISHED AS SCHEDULED
- FRAMES TO BE FACTORY FINISHED AS SCHEDULED
- REFER FRAME FINISH DIAGRAM X/A-XX FOR DISIMILAR FINISHES AT DOORS / FRAMES
- INSTALL SMOKE SEALS ON RATED DOORS

SCHEDULE ABBREVIATION KEY

AL	ALUMINUM	OP	OPERABLE PARTITION
CL	CHAIN LINK	PR	PAIR
HM	HOLLOW METAL	UPR	UNEVEN PAIR
HM-STL	H		